



SLR:dm 06/16/06 3302-68189-01 542897

PATENT  
Attorney Ref. No. 3302-68189-01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re application of:** Michael M. Glenn

**Date Mailed** June 19, 2006

**Patent No.** PP16,401

**Issued:** April 4, 2006

**Application No.** 10/823,472

**Filed:** April 12, 2004

**Confirmation No.** 4132

**For:** OAK TREE NAMED 'QNSTC'

**Examiner:** June Hwu

**Art Unit:** 1661

**Attorney Reference No.** 3302-68189-01

Certificate  
JUN 23 2006  
of Correction

COMMISSIONER FOR PATENTS  
P.O. BOX 1450  
ALEXANDRIA, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

In checking the subject original Letters Patent with our copy of the application, the following error that occurred in the printing of the patent was noted:

In the Specification:


Column 6, line 4 (specification page 5, line 23), "1¼41" should be --1¼--.

The above error is attributable to the Patent Office, and a Certificate of Correction is enclosed in duplicate to make formal notice of the errors in the subject patent.

Respectfully submitted,

One World Trade Center  
Suite 1600  
121 S.W. Salmon Street  
Portland, Oregon 97204  
Telephone: (503) 595-5300  
Facsimile: (503) 595-5301

KLARQUIST SPARKMAN, LLP

By   
Sheree Lynn Rybak, Ph.D.  
Registration No. 47,913

cc: Docketing

JUN 23 2006

Staple  
Here  
Only!

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : PP16,401

DATED : 4/4/2006

INVENTOR(S) : Michael M. Glenn

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

Column 6, line 4, "1¼41" should be 1¼ .

MAILING ADDRESS OF SENDER: Sheree L. Rybak, Ph.D.  
Klarquist Sparkman, LLP  
One World Trade Center, Suite 1600  
121 SW Salmon Street  
Portland, Oregon 97204

PATENT NO. PP16,401

No. of add'l copies  
@ 30¢ per page

⇒ 0

FORM PTO 1050 (REV. 3-82)

2006

Staple  
Here  
Only!

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : PP16,401

DATED : 4/4/2006

INVENTOR(S) : Michael M. Glenn

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification:

Column 6, line 4, "1¼41" should be 1¼ .

MAILING ADDRESS OF SENDER: Sheree L. Rybak, Ph.D.  
Klarquist Sparkman, LLP  
One World Trade Center, Suite 1600  
121 SW Salmon Street  
Portland, Oregon 97204

PATENT NO. PP16,401

No. of add'l copies  
@ 30¢ per page

⇒ 0

FORM PTO 1050 (REV. 3-82)

2006